


## Amendments to the Claims:


This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims:

Claim 1. (Original) A compound of formula



or of formula



wherein


W is CH or N,

R<sub>1</sub> is hydroxy, (C<sub>1-6</sub>)alkoxy, halo(C<sub>1-6</sub>)alkoxy, hydroxycarbonyl(C<sub>1-6</sub>)alkoxy or (C<sub>1-6</sub>)alkoxycarbonyl(C<sub>1-6</sub>)alkoxy,

R<sub>2</sub> is hydrogen or an ester moiety,

R<sub>3</sub> is hydrogen, (C<sub>1-6</sub>)alkyl, (C<sub>2-6</sub>)alkenyl or (C<sub>3-8</sub>)cycloalkyl,

R<sub>4</sub> is hydrogen or (C<sub>1-6</sub>)alkyl,



is cyclohexyl or phenyl,

R<sub>5</sub> and R<sub>6</sub> independently of each other are hydrogen; (C<sub>1-6</sub>)alkyl; (C<sub>2-6</sub>)alkenyl; (C<sub>6-18</sub>)arylcarbonyl; (C<sub>1-6</sub>)alkylcarbonyl; (C<sub>6-18</sub>)aryloxy(C<sub>1-4</sub>)alkylcarbonyl; (C<sub>1-6</sub>)alkylcarbonyl-(C<sub>6-18</sub>)arylcarbonyl; heterocyclyl(C<sub>1-6</sub>)alkylcarbonyl, wherein heterocyclyl comprises 5 or 6 ring members and 1 to 4 heteroatoms selected from N, O or S; (C<sub>1-6</sub>)alkylsulfonyl or (C<sub>6-18</sub>)arylsulfonyl,

X is NH, O, S or N-R<sub>8</sub>, wherein R<sub>8</sub> is (C<sub>1-6</sub>)alkyl or (C<sub>3-8</sub>)cycloalkyl,

Y is O or S, and

n and m independently of each other are 0 or 1.

Claim 2. (Currently amended) The-A compound of ~~formula IA or IB~~ claim 1 wherein


W is CH or N,

R<sub>1</sub> is hydroxy, methoxy, fluoromethoxy or (hydroxycarbonyl)(dimethyl)methoxy,

R<sub>2</sub> is hydrogen,

R<sub>3</sub> is hydrogen; (C<sub>1-4</sub>)alkyl, e.g. methyl or ethyl; allyl or cyclopropyl,

R<sub>4</sub> is hydrogen or (C<sub>1-4</sub>)alkyl, e.g. methyl,



is cyclohexyl, e.g. and the  $-(CH_2)_m-NR_5R_6$  group is in the ortho, meta or para position,

R<sub>5</sub> and R<sub>6</sub> independently of each other are hydrogen; (C<sub>1-3</sub>)alkyl; allyl;

(C<sub>1-4</sub>)alkylcarbonyl; phenylcarbonyl, wherein phenyl is optionally substituted by

(C<sub>1-4</sub>)alkylcarbonyloxy; phenyloxymethylcarbonyl; phenylsulfonyl, wherein phenyl is substituted by amino or (C<sub>1-4</sub>)alkylcarbonylamino, or heterocyclyl comprising 5 ring members and 1 heteroatom selected from N, O or S,

X is NH, NCH<sub>3</sub>, NCH(CH<sub>3</sub>)<sub>2</sub>, O, S or (C<sub>3-8</sub>)cycloalkyl substituted by amino,

n is 0, m is 0,

Y is S and

R<sub>8</sub> is C<sub>1-4</sub>)alkyl.


Claim 3. (Currently amended) The-A compound of ~~formula IA~~ claim 1 wherein in formula IA

W is N or CH,

R<sub>1</sub> is hydroxy or fluoromethoxy,

R<sub>2</sub>, R<sub>4</sub>, R<sub>5</sub> and R<sub>6</sub> are hydrogen,

R<sub>3</sub> is C<sub>1-4</sub>)alkyl,



is cyclohexyl,

X is NH,

n is 1 and m is 1.

Claim 4. (Currently amended) The-A compound of claim 1 ~~formula IA~~ wherein in formula IA

W is N,


R<sub>1</sub> is fluoromethoxy,

R<sub>2</sub>, R<sub>4</sub>, R<sub>5</sub> and R<sub>6</sub> are hydrogen,


R<sub>3</sub> is C<sub>1-4</sub>)alkyl,




Claim 11. (New) A process for preparing a compound of formula IA




or a compound of formula IB




said process comprising reacting a compound of formula III



with a compound of formula IVA



or a compound of formula IVB



wherein


W is CH or N,

R<sub>1</sub> is hydroxy, (C<sub>1-6</sub>)alkoxy, halo(C<sub>1-6</sub>)alkoxy, hydroxycarbonyl(C<sub>1-6</sub>)alkoxy or (C<sub>1-6</sub>)alkoxycarbonyl(C<sub>1-6</sub>)alkoxy,

R<sub>2</sub> is hydrogen or an ester moiety,

R<sub>3</sub> is hydrogen, (C<sub>1-6</sub>)alkyl, (C<sub>2-6</sub>)alkenyl or (C<sub>3-8</sub>)cycloalkyl,

R<sub>4</sub> is hydrogen or (C<sub>1-6</sub>)alkyl,



is cyclohexyl or phenyl,

R<sub>5</sub> and R<sub>6</sub> independently of each other are hydrogen; (C<sub>1-6</sub>)alkyl; (C<sub>2-6</sub>)alkenyl; (C<sub>6-18</sub>)arylcarbonyl; (C<sub>1-6</sub>)alkylcarbonyl; (C<sub>6-18</sub>)aryloxy(C<sub>1-4</sub>)alkylcarbonyl; (C<sub>1-6</sub>)alkylcarbonyl-(C<sub>6-18</sub>)arylcarbonyl; heterocyclyl(C<sub>1-6</sub>)alkylcarbonyl, wherein heterocyclyl comprises 5 or 6 ring members and 1 to 4 heteroatoms selected from N, O or S; (C<sub>1-6</sub>)alkylsulfonyl or (C<sub>6-18</sub>)arylsulfonyl,

X is NH, O, S or N-R<sub>8</sub>, wherein R<sub>8</sub> is (C<sub>1-6</sub>)alkyl or (C<sub>3-8</sub>)cycloalkyl,

Y is O or S, and

n and m independently of each other are 0 or 1.